


日 水 位 年 表

番 号	606 20	水 系	羽幌川	河 川	羽幌川	観測所	羽幌川(中央橋下)	平成 20 (2008) 年				
日	1	2	3	4	5	6	7	8	9	10	11	12
1				18.11	18.34	17.88	17.57	17.68	17.66	18.49	18.14	18.13
2				18.07	18.41	17.91	17.57	17.64	17.65	18.31	18.05	18.11
3				18.08	18.33	17.84	17.52	17.64	17.92	18.10	18.01	18.29
4				18.23	18.20	17.77	17.48	17.67	18.12	18.07	18.16	18.22
5				18.39	18.08	17.69	17.52	17.63	17.93	18.06	18.18	18.52
半旬平均				18.18	18.27	17.82	17.53	17.65	17.86	18.21	18.11	18.25
6				18.51	18.12	17.62	17.53	17.54	17.86	17.98	18.30	18.72
7				18.63	18.16	17.80	17.54	17.53	17.88	17.95	18.39	18.49
8				18.73	18.11	17.86	17.58	17.52	17.79	17.98	18.29	18.36
9				18.83	18.11	17.74	17.57	17.57	17.77	17.98	18.50	18.46
10				18.72	18.04	17.67	17.53	17.58	17.76	17.93	18.45	18.52
半旬平均				18.68	18.11	17.74	17.55	17.55	17.81	17.96	18.39	18.51
11				18.67	17.97	17.76	17.57	17.63	17.69	17.76	18.34	18.40
12				18.53	17.98	17.68	17.65	17.61	17.62	17.93	18.26	18.30
13				18.41	17.94	17.66	17.60	17.62	17.63	17.92	18.25	18.29
14				18.48	17.88	17.67	17.91	17.55	17.68	17.92	18.28	18.23
15				18.62	17.84	17.65	17.75	17.49	17.68	17.93	18.46	18.19
半旬平均				18.54	17.92	17.68	17.70	17.58	17.66	17.89	18.32	18.28
16				18.55	17.88	17.83	17.62	17.61	17.63	17.96	18.35	18.21
17				18.56	17.86	17.78	17.59	17.65	17.63	17.93	18.31	18.18
18				18.69	17.90	17.69	18.22	17.60	17.69	18.12	18.15	18.28
19				18.79	17.82	17.58	17.99	17.55	17.60	18.05	18.07	18.35
20				18.81	17.71	17.63	17.85	17.55	17.63	17.95	18.03	18.25
半旬平均				18.68	17.83	17.70	17.85	17.59	17.64	18.00	18.18	18.25
21				18.83	18.14	17.72	17.77	17.61	17.59	17.92	18.01	18.33
22				18.80	18.14	17.66	17.72	17.63	17.58	17.94	18.02	18.23
23				18.72	18.11	17.57	17.78	17.57	17.49	17.97	18.03	18.18
24				18.63	18.00	17.54	17.77	17.60	17.64	17.84	18.08	18.16
25				18.65	17.88	17.59	17.71	17.82	17.67	18.01	18.06	17.97
半旬平均				18.73	18.05	17.62	17.75	17.65	17.59	17.94	18.04	18.17
26				18.45	17.84	17.54	17.72	17.78	17.75	17.99	18.07	17.94
27				18.25	18.17	17.57	17.69	17.69	18.06	18.11	18.03	17.93
28				18.29	18.12	17.61	17.63	17.69	18.10	18.08	18.03	17.94
29				18.35	18.03	17.56	17.65	17.77	18.04	18.06	17.94	18.13
30				18.28	17.98	17.58	17.66	17.91	17.92	18.18	17.97	18.11
31					17.91		17.71	17.78		18.15		17.97
半旬平均				18.32	18.01	17.57	17.68	17.77	17.97	18.10	18.01	18.00
月合計				555.66	559.00	530.65	547.97	546.71	532.66	558.57	545.21	565.39
月平均				18.52	18.03	17.69	17.68	17.64	17.76	18.02	18.17	18.24
観測方法	テレメータ	観測機関	北海道	年最高水位				年最低水位				年平均水位
				19.24 m(12月 5日22時 0分)				17.45 m(9月23日 8時 0分)				17.97 m
水研様式 水位-2 (改)												



日 水 位 年 表

番 号 □ 612 20

水 系 茂築別川


河 川 茂築別川

観測所 有明ダム

平成 20 (2008) 年

日 月	1	2	3	4	5	6	7	8	9	10	11	12
1	88.07	88.05	88.05	88.22	88.15	88.07	87.92	87.41	86.49	88.34	88.12	88.08
2	88.07	88.05	88.05	88.17	88.16	88.06	87.82	87.28	86.51	88.22	88.10	88.09
3	88.07	88.05	88.05	88.18	88.14	88.06	87.72	87.18	87.07	88.12	88.10	88.19
4	88.07	88.05	88.05	88.23	88.11	88.05	87.63	87.07	88.15	88.22	88.16	88.16
5	88.06	88.05	88.05	88.30	88.10	88.05	87.54	86.93	88.08	88.16	88.16	88.41
半旬平均	88.07	88.05	88.05	88.22	88.13	88.06	87.73	87.17	87.26	88.21	88.13	88.19
6	88.06	88.05	88.05	88.33	88.15	88.03	87.45	86.79	88.05	88.11	88.25	88.49
7	88.06	88.05	88.05	88.40	88.16	88.14	87.35	86.67	88.05	88.08	88.35	88.23
8	88.06	88.05	88.05	88.44	88.14	88.20	87.27	86.54	88.05	88.07	88.25	88.17
9	88.06	88.05	88.05	88.48	88.11	88.11	87.19	86.41	88.04	88.06	88.29	88.21
10	88.06	88.05	88.07	88.43	88.09	88.10	87.10	86.29	88.04	88.06	88.24	88.29
半旬平均	88.06	88.05	88.05	88.42	88.13	88.12	87.27	86.54	88.05	88.08	88.28	88.28
11	88.06	88.05	88.12	88.41	88.09	88.10	87.04	86.18	88.03	88.06	88.17	88.25
12	88.06	88.05	88.13	88.32	88.08	88.10	87.05	86.17	88.03	88.10	88.14	88.18
13	88.06	88.05	88.13	88.22	88.07	88.09	87.14	86.18	88.03	88.09	88.13	88.14
14	88.06	88.05	88.13	88.26	88.07	88.08	87.91	86.20	88.03	88.07	88.12	88.13
15	88.06	88.05	88.16	88.34	88.07	88.07	88.03	86.23	88.03	88.07	88.15	88.11
半旬平均	88.06	88.05	88.13	88.31	88.08	88.09	87.43	86.19	88.03	88.08	88.14	88.16
16	88.06	88.05	88.20	88.33	88.07	88.07	88.02	86.30	88.03	88.06	88.18	88.10
17	88.06	88.05	88.21	88.30	88.06	88.07	88.00	86.33	88.03	88.05	88.19	88.10
18	88.06	88.05	88.17	88.35	88.06	88.06	88.07	86.35	88.03	88.13	88.16	88.25
19	88.06	88.05	88.19	88.39	88.05	88.05	88.04	86.38	88.03	88.11	88.14	88.21
20	88.06	88.05	88.23	88.38	88.04	88.07	88.00	86.37	88.03	88.09	88.11	88.17
半旬平均	88.06	88.05	88.20	88.35	88.06	88.06	88.03	86.35	88.03	88.09	88.16	88.17
21	88.06	88.05	88.29	88.37	88.32	88.08	87.97	86.34	88.03	88.07	88.10	88.16
22	88.06	88.05	88.31	88.33	88.23	88.08	87.92	86.31	88.03	88.06	88.10	88.13
23	88.06	88.05	88.32	88.29	88.16	88.06	87.94	86.27	88.03	88.06	88.09	88.11
24	88.06	88.05	88.38	88.28	88.13	88.05	87.99	86.24	88.04	88.05	88.09	88.11
25	88.06	88.05	88.39	88.27	88.10	88.04	87.99	86.24	88.04	88.11	88.08	88.11
半旬平均	88.06	88.05	88.34	88.31	88.19	88.06	87.96	86.28	88.03	88.07	88.09	88.12
26	88.06	88.05	88.46	88.19	88.10	88.04	87.95	86.27	88.13	88.13	88.08	88.11
27	88.06	88.05	88.42	88.16	88.24	88.04	87.89	86.29	88.15	88.17	88.08	88.09
28	88.06	88.05	88.32	88.16	88.16	88.04	87.82	86.32	88.15	88.16	88.08	88.09
29	88.06	88.05	88.27	88.17	88.12	88.04	87.76	86.37	88.11	88.15	88.08	88.09
30	88.06	88.05	88.23	88.15	88.10	88.02	87.68	86.43	88.08	88.15	88.08	88.09
31	88.06	88.05	88.25	88.25	88.08	88.08	87.54	86.47	88.14	88.14	88.09	88.09
半旬平均	88.06	88.05	88.33	88.17	88.13	88.04	87.77	86.36	88.12	88.15	88.08	88.09
月合計	2729.89	2553.45	2733.83	2648.85	2731.71	2642.12	2718.74	2680.81	2637.62	2731.52	2644.37	2733.14
月平均	88.06	88.05	88.19	88.30	88.12	88.07	87.70	86.48	87.92	88.11	88.15	88.17
観測方法	テレメタ		観測機関		年最高水位		年最低水位		年平均水位			
			北海道		88.83 m(12月 6日 0時38分)		86.17 m(8月13日12時53分)		87.94 m			

水研様式 水位-2 (改)



水研様式 水位-3

日水位年表

番号 613 20

水系 小平薬川


河川 小平薬川

観測所 小平ダム(滝下)

平成 20 (2008) 年

日	1	2	3	4	5	6	7	8	9	10	11	12
1	68.81	68.13	67.73	71.46	71.81	70.62	70.42	70.75	71.06	71.64	71.27	70.13
2	68.82	68.13	67.72	71.36	71.79	70.44	70.37	70.74	71.00	71.42	71.21	70.13
3	68.82	68.12	67.70	71.39	71.65	70.33	70.32	70.73	71.28	71.21	71.29	70.48
4	68.82	68.12	67.68	71.57	71.49	70.36	70.30	70.70	71.31	71.42	71.39	70.66
5	68.81	68.10	67.66	71.68	71.45	70.37	70.26	70.65	71.05	71.27	71.38	71.95
半旬平均	68.82	68.12	67.70	71.49	71.64	70.42	70.33	70.71	71.14	71.39	71.31	70.67
6	68.81	68.09	67.65	71.93	71.53	70.39	70.20	70.59	70.87	71.11	71.69	71.94
7	68.80	68.11	67.64	72.04	71.81	70.54	70.14	70.54	70.74	70.99	71.91	71.48
8	68.64	68.15	67.63	72.20	71.54	70.65	70.08	70.48	70.61	70.87	71.73	71.26
9	68.33	68.13	67.64	72.31	71.34	70.68	70.01	70.42	70.56	70.77	71.74	71.26
10	68.20	68.11	67.72	72.21	71.20	70.70	69.94	70.35	70.54	70.65	71.53	71.47
半旬平均	68.56	68.12	67.66	72.14	71.48	70.59	70.07	70.48	70.66	70.88	71.72	71.48
11	68.17	68.09	67.88	72.20	71.09	70.73	70.07	70.28	70.52	70.69	71.33	71.41
12	68.21	68.08	67.84	71.90	71.02	70.73	70.19	70.21	70.51	70.83	71.20	71.25
13	68.26	68.07	67.80	71.67	70.95	70.71	70.26	70.14	70.49	70.84	71.14	71.12
14	68.30	68.06	67.77	71.88	70.89	70.68	70.49	70.07	70.46	70.76	71.21	71.03
15	68.33	68.04	67.94	72.14	70.83	70.64	70.53	70.25	70.42	70.63	71.39	70.94
半旬平均	68.25	68.07	67.85	71.96	70.96	70.70	70.31	70.19	70.48	70.75	71.25	71.15
16	68.33	68.02	68.16	71.95	70.76	70.61	70.53	70.40	70.38	70.47	71.39	70.84
17	68.32	68.01	68.13	72.03	70.68	70.64	70.68	70.40	70.35	70.27	71.32	70.77
18	68.30	67.99	68.06	72.29	70.60	70.66	71.10	70.36	70.30	70.09	71.26	71.01
19	68.29	67.96	68.32	72.47	70.53	70.67	71.00	70.31	70.26	69.88	71.19	71.13
20	68.28	67.94	69.23	72.50	70.61	70.72	70.81	70.25	70.18	69.65	71.11	71.14
半旬平均	68.30	67.98	68.38	72.25	70.64	70.66	70.82	70.34	70.29	70.07	71.25	70.98
21	68.27	67.92	70.26	72.51	71.51	70.75	70.61	70.18	70.13	69.39	71.05	71.11
22	68.26	67.90	71.19	72.42	71.45	70.75	70.60	70.11	70.06	69.17	70.99	71.02
23	68.24	67.87	71.58	72.33	71.27	70.74	70.71	70.03	70.08	69.11	70.93	70.92
24	68.22	67.84	71.62	72.30	71.14	70.72	70.77	69.99	70.09	69.14	70.84	70.84
25	68.19	67.79	71.79	72.14	71.05	70.69	70.80	70.08	70.14	69.15	70.70	70.76
半旬平均	68.24	67.86	71.29	72.34	71.28	70.73	70.70	70.08	70.10	69.19	70.90	70.93
26	68.16	67.76	71.94	71.84	71.00	70.65	70.85	70.04	70.47	69.34	70.57	70.62
27	68.14	67.75	71.82	71.68	71.09	70.61	70.86	70.12	71.10	69.67	70.46	70.39
28	68.12	67.75	71.70	71.78	71.05	70.56	70.86	70.30	71.21	70.13	70.38	70.16
29	68.13	67.74	71.60	71.72	70.98	70.52	70.84	71.18	71.11	70.60	70.25	69.95
30	68.14	71.58	71.62	71.62	70.89	70.47	70.82	71.29	70.96	70.93	70.19	69.76
31	68.14	71.58	70.77	70.77	70.77	70.78	71.15	71.15	71.17	71.17	69.56	69.56
半旬平均	68.14	67.75	71.70	71.73	70.96	70.56	70.84	70.68	70.97	70.31	70.37	70.07
月合計	2119.66	1971.77	2144.56	2159.52	2205.77	2118.33	2186.20	2183.09	2118.24	2183.26	2134.04	2196.49
月平均	68.38	67.99	69.18	71.98	71.15	70.61	70.52	70.42	70.61	70.43	71.13	70.85
観測方法	シメータ		観測機関		年最高水位		年最低水位		年平均水位			
	シメータ		北海道		72.66 m (4月21日23時54分)		67.63 m (3月 9日22時19分)		70.28 m			

水研様式 水位-2 (改)



水研様式 水位-3

日水位年表

番号 □ 615 20

水系 茂築別川


河川 茂築別川

観測所 七線

平成 20 (2008) 年

日	1	2	3	4	5	6	7	8	9	10	11	12	
1	22.74	22.74	22.73	23.00	22.76	22.63	22.58	22.63	22.59	23.22	22.83	22.84	
2	22.74	22.76	22.72	22.94	22.76	22.62	22.58	22.68	22.59	23.00	22.80	22.88	
3	22.74	22.75	22.70	22.98	22.72	22.61	22.58	22.69	22.87	22.84	22.83	23.02	
4	22.74	22.75	22.72	23.07	22.66	22.61	22.58	22.67	22.92	23.04	22.97	22.93	
5	22.74	22.78	22.71	23.12	22.66	22.60	22.58	22.67	22.77	22.90	22.93	23.27	
半旬平均	22.74	22.76	22.72	23.02	22.71	22.61	22.58	22.67	22.75	23.00	22.87	22.99	
6	22.74	22.79	22.71	23.17	22.81	22.61	22.58	22.64	22.72	22.81	23.06	23.40	
7	22.74	22.77	22.71	23.21	22.83	22.96	22.58	22.64	22.77	22.77	23.15	23.05	
8	22.74	22.75	22.71	23.26	22.76	22.97	22.60	22.62	22.73	22.74	23.05	22.95	
9	22.75	22.75	22.74	23.28	22.70	22.80	22.59	22.62	22.69	22.75	23.14	23.07	
10	22.79	22.74	22.88	23.24	22.64	22.76	22.58	22.61	22.67	22.76	23.03	23.13	
半旬平均	22.75	22.76	22.75	23.23	22.75	22.82	22.59	22.63	22.72	22.77	23.09	23.12	
11	22.78	22.72	23.01	23.21	22.63	22.78	22.62	22.61	22.66	22.78	22.93	23.05	
12	22.79	22.79	22.98	23.10	22.62	22.73	22.62	22.59	22.65	22.82	22.87	22.96	
13	22.78	22.77	22.93	23.00	22.61	22.70	22.68	22.59	22.65	22.77	22.84	22.89	
14	22.79	22.76	22.93	23.05	22.61	22.67	22.78	22.59	22.65	22.74	22.83	22.86	
15	22.79	22.77	23.03	23.11	22.62	22.64	22.71	22.61	22.64	22.73	22.89	22.83	
半旬平均	22.79	22.76	22.98	23.09	22.62	22.70	22.68	22.60	22.65	22.77	22.87	22.92	
16	22.83	22.77	23.07	23.09	22.61	22.71	22.64	22.62	22.63	22.72	22.97	22.81	
17	22.86	22.75	23.03	23.07	22.60	22.64	22.66	22.60	22.63	22.70	22.95	22.82	
18	22.85	22.74	23.00	23.11	22.60	22.62	22.79	22.59	22.63	22.89	22.89	23.11	
19	22.83	22.73	23.07	23.13	22.59	22.61	22.69	22.59	22.63	22.82	22.86	23.02	
20	22.81	22.72	23.10	23.12	22.62	22.70	22.62	22.63	22.63	22.77	22.83	22.96	
半旬平均	22.84	22.74	23.05	23.10	22.60	22.66	22.68	22.61	22.63	22.78	22.90	22.94	
21	22.80	22.71	23.14	23.10	23.07	22.73	22.61	22.63	22.62	22.75	22.81	22.93	
22	22.78	22.71	23.16	23.06	22.91	22.67	22.62	22.63	22.62	22.73	22.79	22.89	
23	*	22.71	23.17	23.01	22.82	22.62	22.68	22.63	22.70	22.72	22.78	22.86	
24	*	22.73	23.22	23.00	22.75	22.60	22.65	22.63	22.72	22.73	22.78	22.84	
25	22.77	22.74	23.28	22.98	22.72	22.60	22.61	22.65	22.72	22.87	22.77	22.85	
半旬平均 (22.78)	22.72	22.72	23.19	23.03	22.85	22.64	22.63	22.63	22.68	22.76	22.79	22.87	
26	*	22.72	23.31	22.89	22.73	22.59	22.60	22.60	22.90	22.89	22.76	22.82	
27	*	22.74	23.24	22.85	22.98	22.58	22.59	22.59	22.91	22.94	22.81	22.80	
28	*	22.74	23.15	22.90	22.84	22.59	22.58	22.60	22.87	22.90	22.86	22.79	
29	*	22.74	23.07	22.86	22.76	22.59	22.58	22.62	22.81	22.88	22.81	22.81	
30	*		23.04	22.76	22.70	22.58	22.60	22.62	22.75	22.89	22.84	22.80	
31	*		23.05		22.66		22.65	22.60		22.87		22.79	
半旬平均	*	22.74	23.14	22.85	22.78	22.59	22.60	22.61	22.85	22.90	22.82	22.80	
月合計 (523.92)	659.64	712.31	691.67	704.35	680.12	701.41	701.29	681.34	707.74	686.66	711.03		
月平均 (22.78)	22.75	22.98	23.06	22.72	22.67	22.63	22.62	22.71	22.83	22.89	22.94		
観測方法	テレメータ		観測機関	北海道		年最高水位	23.85 m (12月 6日 0時57分)		年最低水位	22.56 m (8月12日 6時57分)		年平均水位	22.80 m

水研様式 水位-2 (改)



水研様式 水位-3

日 水 位 年 表

番 号 □ 616 20

水 系 小平薬川


河 川 小平薬川

観測所 沖内

平成 20 (2008) 年

日 月	1	2	3	4	5	6	7	8	9	10	11	12
1	2.57	2.62	2.58	3.27	3.20	2.92	2.49	2.37	2.57	3.26	2.98	2.88
2	2.59	2.63	2.58	3.25	3.21	2.90	2.49	2.52	2.51	3.09	2.97	2.98
3	2.60	2.64	2.57	3.26	3.16	2.83	2.48	2.48	3.08	3.04	3.14	3.03
4	2.61	2.63	2.57	3.39	3.09	2.82	2.49	2.55	3.04	3.20	3.22	2.97
5	2.62	2.63	2.57	3.44	3.10	2.81	2.47	2.40	2.86	3.06	3.20	3.93
半旬平均	2.60	2.63	2.57	3.32	3.15	2.86	2.48	2.45	2.81	3.13	3.10	3.16
6	2.64	2.63	2.56	3.63	3.17	2.87	2.48	2.51	2.79	2.93	3.32	3.62
7	2.65	2.63	2.56	3.63	3.30	2.94	2.47	2.44	2.77	2.83	3.42	3.32
8	2.71	2.60	2.60	3.81	3.17	2.84	2.49	2.48	2.67	2.74	3.39	3.20
9	2.77	2.62	2.68	3.88	3.08	2.83	2.51	2.41	2.58	2.73	3.43	3.22
10	2.74	2.61	2.91	3.73	3.03	2.86	2.51	2.50	2.52	2.69	3.27	3.28
半旬平均	2.70	2.62	2.66	3.74	3.15	2.87	2.49	2.47	2.67	2.78	3.37	3.33
11	2.71	2.61	3.16	3.67	2.98	2.85	2.57	2.47	2.49	2.72	3.13	3.22
12	2.69	2.61	3.19	3.42	2.97	2.85	2.52	2.49	2.46	2.66	3.01	3.12
13	2.69	2.61	3.21	3.33	2.98	2.86	2.57	2.39	2.45	2.61	2.93	3.01
14	2.70	2.60	3.32	3.42	2.97	2.82	2.56	2.52	2.43	2.58	2.95	2.94
15	2.70	2.60	3.48	3.57	2.97	2.84	2.54	2.57	2.42	2.55	3.03	2.87
半旬平均	2.70	2.61	3.27	3.48	2.97	2.84	2.55	2.49	2.45	2.62	3.01	3.03
16	2.71	2.62	3.56	3.42	2.96	2.88	2.51	2.43	2.41	2.54	3.09	2.82
17	2.70	2.62	3.52	3.47	2.95	2.79	2.74	2.38	2.40	2.52	3.04	2.86
18	2.70	2.61	3.40	3.64	2.92	2.72	2.82	2.36	2.39	2.50	3.05	2.95
19	2.69	2.61	3.32	3.78	2.90	2.58	2.81	2.36	2.38	2.49	3.00	2.93
20	2.69	2.61	3.33	3.77	3.02	2.60	2.78	2.35	2.37	2.48	2.94	3.01
半旬平均	2.70	2.61	3.43	3.62	2.95	2.71	2.73	2.38	2.39	2.51	3.02	2.91
21	2.68	2.59	3.38	3.75	3.23	2.58	2.70	2.36	2.37	2.47	2.89	2.98
22	2.68	2.59	3.37	3.64	3.19	2.53	2.61	2.47	2.36	2.45	2.84	2.93
23	2.68	2.59	3.46	3.54	3.15	2.49	2.67	2.59	2.41	2.39	2.80	2.88
24	2.68	2.58	3.43	3.50	3.09	2.52	2.64	2.66	2.37	2.49	2.76	2.84
25	2.66	2.57	3.67	3.42	3.04	2.52	2.58	2.56	2.49	2.47	2.74	2.82
半旬平均	2.68	2.58	3.46	3.57	3.14	2.53	2.64	2.53	2.40	2.45	2.81	2.89
26	2.65	2.59	3.63	3.28	3.03	2.48	2.55	2.41	2.63	2.94	2.71	2.81
27	2.65	2.59	3.50	3.20	3.06	2.48	2.53	2.58	2.76	2.86	2.84	3.05
28	2.65	2.58	3.44	3.21	3.01	2.49	2.53	2.49	2.71	2.72	2.87	3.28
29	2.63	2.58	3.39	3.17	2.95	2.51	2.48	3.08	2.65	2.76	2.83	3.31
30	2.63		3.40	3.11	2.92	2.49	2.47	2.85	2.75	2.89	2.93	3.29
31	2.62		3.37		2.91		2.46	2.68		2.92		3.26
半旬平均	2.64	2.59	3.46	3.19	2.98	2.49	2.50	2.68	2.70	2.85	2.84	3.17
月合計	82.69	75.60	97.71	104.60	94.71	81.50	79.52	77.64	77.09	84.58	90.72	95.61
月平均	2.67	2.61	3.15	3.49	3.06	2.72	2.57	2.50	2.57	2.73	3.02	3.08
観測方法	テレメータ		観測機関 北海道		年最高水位 4.50 m(12月 6日 1時 0分)		年最低水位 2.35 m(8月22日16時 0分)		年平均水位 2.85 m			

水研様式 水位-2 (改)



日水位年表

番号 672 20

水系 暑寒別川


河川 暑寒別川

観測所 暑寒別川

平成 20 (2008) 年

日	1	2	3	4	5	6	7	8	9	10	11	12
1				9.86	10.35	9.96	9.76	9.79	9.80	10.02	9.92	9.88
2				9.85	10.44	9.94	9.76	9.82	9.79	9.93	9.91	9.86
3				9.84	10.43	9.94	9.75	9.82	9.91	9.88	9.94	9.90
4				9.88	10.32	9.94	9.76	9.80	9.90	9.98	9.93	9.85
5				9.92	10.49	9.93	9.76	9.80	9.84	9.91	9.93	10.23
半旬平均				9.87	10.41	9.94	9.76	9.81	9.85	9.94	9.93	9.94
6				9.94	10.52	9.97	9.76	9.78	9.82	9.89	10.12	10.09
7				9.97	10.46	9.97	9.76	9.78	9.83	9.87	10.11	9.99
8				10.02	10.28	9.92	9.77	9.78	9.81	9.86	10.01	9.95
9				10.09	10.18	9.90	9.77	9.78	9.81	9.87	10.00	9.94
10				10.06	10.10	9.87	9.76	9.78	9.80	9.86	9.98	9.95
半旬平均				10.02	10.31	9.93	9.76	9.78	9.81	9.87	10.04	9.98
11				10.05	10.06	9.86	9.80	9.78	9.80	9.91	9.93	9.89
12				10.00	10.04	9.83	9.79	9.78	9.80	9.91	9.91	9.88
13				9.97	10.03	9.83	9.78	9.79	9.80	9.88	9.91	9.93
14				9.99	10.02	9.84	9.78	9.78	9.79	9.87	9.92	9.96
15				10.05	10.04	9.83	9.78	9.79	9.79	9.86	9.97	9.88
半旬平均				10.01	10.04	9.84	9.79	9.78	9.80	9.89	9.93	9.91
16				10.10	10.10	9.85	9.78	9.81	9.80	9.85	10.25	9.85
17				10.14	10.11	9.83	9.80	9.80	9.81	9.85	10.07	9.86
18				10.19	10.12	9.82	9.81	9.79	9.81	9.85	9.99	9.86
19				10.25	10.14	9.80	9.79	9.78	9.81	9.85	9.96	9.86
20				10.26	10.37	9.88	9.78	9.78	9.80	9.84	9.95	9.88
半旬平均				10.19	10.17	9.84	9.79	9.79	9.81	9.85	10.04	9.86
21				10.31	10.66	9.81	9.79	9.77	9.80	9.84	9.91	9.87
22				10.32	10.31	9.79	9.87	9.77	9.81	9.85	9.90	9.85
23				10.31	10.19	9.78	9.94	9.77	9.82	9.85	9.89	9.85
24				10.52	10.14	9.78	9.85	9.77	9.82	9.97	9.88	9.89
25				10.45	10.13	9.77	9.82	9.79	9.81	9.97	9.85	9.81
半旬平均				10.38	10.29	9.79	9.85	9.77	9.81	9.90	9.89	9.85
26				10.26	10.07	9.77	9.81	9.78	9.86	9.98	9.86	9.80
27				10.20	10.04	9.77	9.81	9.79	9.90	9.95	9.87	9.84
28				10.29	10.02	9.78	9.80	9.80	9.86	9.94	9.83	9.85
29				10.21	10.01	9.76	9.80	9.83	9.84	9.91	9.82	9.89
30				10.15	9.99	9.76	9.80	9.81	9.84	9.90	9.89	10.00
31					9.97		9.79	9.80		9.90		9.92
半旬平均				10.22	10.02	9.77	9.80	9.80	9.86	9.93	9.85	9.88
月合計				303.45	316.13	295.48	303.58	303.49	294.68	306.80	298.41	307.06
月平均				10.12	10.20	9.85	9.79	9.79	9.82	9.90	9.95	9.91
観測方法	レベル法			観測機関 北海道		年最高水位 10.90 m (5月6日 3時 0分)		年最低水位 9.75 m (12月25日 20時 0分)		年平均水位 9.92 m		

水研様式 水位-2 (改)



水研様式 水位-3